




WE CARE CHEMISTRY



MULTI RESIN INDUSTRIES

PRODUCT CATALOGUE

**MULTI
RESIN
INDUSTRIES**



TEXTILE


FINISHING AGENTS



POLYVINYL ACETATE HOMOPOLYMER

Product Code	Physical Appearance	Chemical nature	NVM%	pH	VISCOSITY *cps	Application (All products APEO & NPEO free)
MULTITECK UTM EXTRA	M/W Paste	VINYL ACETATE HOMOPOLYMER	48 ± 1	4.5-5.0	15000-25000	"its used as antiPiling agent to improve half to one rating with soft handle and weight gaining"
MULTITECK UTM 50	M/W Paste	VINYL ACETATE HOMOPOLYMER	50 ± 1	4.5-5.0	5000-55000	It is superior quality product as finishing agent , used for all type of fabric s , to enhance GSM body, hand fell& stiffness etc.
MULTITECK UTM 45	M/W Paste	VINYL ACETATE HOMOPOLYMER	45 ± 1	4.5-5.0	26000-30000	It is higher finishing agent, used for all type of fabric s, to enhance GSM body, hand fell& stiffness etc.
MULTITECK UTM 40	M/W Paste	VINYL ACETATE HOMOPOLYMER	40 ± 1	4.5-5.0	45000-55000	It is medium quality product finishing agent , used for all type of fabric s , to enhance GSM body, hand fell& stiffness etc.
MULTITECK UTM 35	M/W Paste	VINYL ACETATE HOMOPOLYMER	35 ± 1	4.5-5.0	40000-50000	It is medium / high finishing agent , used for all type of fabric s , to enhance GSM body, hand fell& stiffness etc.
MULTITECK RTM	M/W Paste	VINYL ACETATE HOMOPOLYMER	48 ± 1	4.5-5.0	15000-25000	used for especially on PC blend suiting fabric to increase G.S.M, body, stiffness etc
MULTITECK MRI BOND	M/W Paste	VINYL ACETATE HOMOPOLYMER	50 ± 1	4.5-5.0	35000-45000	This product use all types of fabric for increase G.S.M body stiffness.
MULTITECK 370STH	M/W Paste	VINYL ACETATE HOMOPOLYMER	35 ± 1	4.5-5.0	19000-22500	"It is used for feel hard increased weight on cotton & blend fabric in finish."
MULTITECK 300STH	M/W Paste	VINYL ACETATE HOMOPOLYMER	30 ± 1	4.5-5.0	18000-22500	"It is used for hand increased weight on cotton & blend fabric "
MULTITECK BS	M/W Paste	VINYL ACETATE HOMOPOLYMER	30 ± 1	4.5-5.0	10000-13000	It is slightly starch based product& especially used for home fabric , increse weight & stifness .
MULTITECK VCL	M/W Paste	VINYL ACETATE HOMOPOLYMER	24 ± 1	4.5-5.0	35000-40000	It is slightly starch based product for home textile to increase & body etc.

**MULTI
RESIN
INDUSTRIES**



TEXTILE

PRINTING BINDERS



CO-POLYMER DISPERSION

Product Code	Physical Appearance	Chemical nature	NVM%	pH	VISCOSITY *cps	Application (All products APEO & NPEO free)
MULTITECK QRC-55	M/W THIN LIQUID	Co-polymer dispersion	50 ± 1	8.5-9	10--90	Very superior quality product with double strength for Flock, roller and screen printing on fabrics all types of textile.
MULTITECK QRC-42	M/W THIN LIQUID	Co-polymer dispersion	42 ± 1	8.5-9	10--90	Its double strength product which cost economic, flock, roller and screen printing on all types fabric of textile etc
MULTITECK QRC-27	M/W THIN LIQUID	Co-polymer dispersion	28 ± 1	8.5-9	10--90	Medium quality product for all textile fabrics printing by roller and screen process etc
MULTITECK QRC-25	M/W THIN LIQUID	Co-polymer dispersion	25 ± 1	8.5-9	10--90	Medium quality product for all textile fabrics printing by roller and screen process etc
MULTITECK QSC-73 N	M/W THIN LIQUID	Co-polymer dispersion	35 ± 1	8.5-9	10--90	Specially design for controlled silver & golden colour returned, suitable for roller & screen printing on all types of fabric.
MULTITECK TEC-66	M/W THIN LIQUID	Co-polymer dispersion	37 ± 1	9.0-9.5	10--90	Special quality product for all textiles fabrics printing through roller, screen method or process with excellent fastness properties.
MULTITECK TEC -29	M/W THIN LIQUID	Co-polymer dispersion	29 ± 1	9.0-9.5	10--90	Special quality product for all textiles fabrics printing through roller, screen method or process with excellent fastness properties.
MULTITECK FFSR-35	M/W THIN LIQUID	Co-polymer dispersion	36 ± 1	9.0-9.5	10--90	This is low formaldehyde product for all types of textile fabrics on print with roller, screen process etc
MULTITECK FFSR-2930M	M/W THIN LIQUID	Co-polymer dispersion	29 ± 1	9.0-9.5	10--90	This is low formaldehyde product for all types of textile fabrics on print with roller, screen process etc
MULTITECK TPC- 65	M/W THIN LIQUID	Co-polymer dispersion	36 ± 1	8.0-9.0	10--90	It is design for chlorine and dry cleaning fastness get better result after printing on all types of fabrics with roller and screen method etc
MULTITECK TPC -55	M/W THIN LIQUID	Co-polymer dispersion	34 ± 1	8.0-9.0	10--90	It is design for chlorine and dry cleaning fastness get better result after printing on all types of fabrics with roller and screen method etc

**MULTI
RESIN
INDUSTRIES**



TEXTILE

TEXTILE PRODUCTS



Product Code	Physical Appearance	Chemical nature	NVM%	pH	VISCOSITY *cps	Application (All products APEO & NPEO free)
SIZING AGENT						
MULTITECK Size GFD	CLEAR LIQUID	POLY ACRYLATE	26 ± 1	6.5-7.0	3500-4000	Used in Warp & Weft yarn sizing agent to improve yarn strength, breakage and tensile strength during weaving
MULTITECK Size GFD ASM	CLEAR LIQUID	POLY ACRYLATE	17 ± 1	7.0-8.0	2500-3500	Used in Warp & Weft yarn sizing agent to improve yarn strength, breakage and tensile strength during weaving
WETTING AGENT PRE-TREATMENT						
Product Code	Physical Appearance	Chemical nature		pH	VISCOSITY *cps	Application (All products APEO & NPEO free)
MULTITECK 701	Transparent liquid paste	ALCOHAL ETHOXILATE		7.0-8.0	1000-1700	This product is APEO/NPEO free used in pre-treatment to increase wetting, detergents and reduce surface tension etc.
MULTITECK 702	Transparent liquid paste	ALCOHAL ETHOXILATE		7.0-8.0	1000-1700	This product is APEO/NPEO free used in pre-treatment to increase wetting, detergents and reduce surface tension etc.
PIGMENT DYING BINDER						
Product Code	Physical Appearance	Chemical nature	NVM%	pH	VISCOSITY *cps	Application (All products APEO & NPEO free)
MULTITECK TBD 45	MILKY WHITE LIQUID	CO-PLOYMER Dispersion	40 ± 1	6.5-7	50-250	Quality product is recommended for continuous pigment dyeing on thermsol, stenter etc.
MULTITECK TBD40	MILKY WHITE LIQUID	CO-PLOYMER Dispersion	35 ± 1	6.5-7	50-250	Quality product is recommended for continuous pigment dyeing on thermsol, stenter etc.
MULTITECK MR 37	MILKY WHITE LIQUID	CO-PLOYMER Dispersion	36 ± 1	8.5-9	10--90	Quality product is recommended for continuous pigment dyeing on thermsol, stenter etc.

**MULTI
RESIN
INDUSTRIES**



TEXTILE

DENIM COATING PRODUCT



CO-POLYMER DISPERSION

Product Code	Physical Appearance	Chemical nature	NVM%	pH	VISCOSITY *cps	Application (All products APEO & NPEO free)
MULTITECK FC-777	Blueish LIQUID	CO-Polymer dispersion	50 ± 1	7.5-9.0	2000-3500	Specially design for denim and fabric coating on surface more shiny or glassy effect
MULTITECK FC-776	Blueish LIQUID	CO-Polymer dispersion	45 ± 1	7.5-9.0	2000-3500	Specially design for denim and fabric coating on surface more shiny or glassy effect
MULTITECK FQB-4235N	M/W THIN LIQUID	CO-Polymer dispersion	42 ± 1	5.5-7.0	100-600	Specially design for denim and fabric coating on surface more shiny or glassy effect
MULTITECK FQB-4234	M/W THIN LIQUID	CO-Polymer dispersion	35 ± 1	5.5-7.0	100-600	Specially design for denim and fabric coating on surface more shiny or glassy effect

WE CARE CHEMISTRY

MULTI RESIN INDUSTRIES

HEAD OFFICE & FACTORY:

Plot # F-9/A, S.I.T.E.,
Hyderabad.

P: +92-22-3881153

F: +92-22-3400126

LIAISON OFFICES

KARACHI:

Suites # C-3 & C-7

Islamic Arcade

Opposite Safari Park

Main University Road

UAN: +92-21-111-674-007

P: +92-21-34979172, 34802479

+92-21-34835567, 34835568

F: +92-21-34802479

C: +92-321-2489786

LAHORE:

425, Gulshan Block

Allama Iqbal Town

P: +92-42-37806632

C: +92-321-2435634

FAISALABAD:

P 8/29, Ravi Market

2nd Floor, Susan Road

P: +92-41-8555135

C: +92-321-2435444



WE CARE CHEMISTRY

marketing@multiresin.com

<http://multiresin.com>